




**SUA5001**  
5000 Watt Generator

- **Performance Series Engine:** 223cc OHV engine with Cast Iron Sleeve & Low Oil Shutdown
- **High Output:** 5,000 starting watts - 4,250 running watts
- **Run Time:** 4-gallon fuel tank for extended run time of 13 hrs. at 25% load
- **Voltage Selector Switch:** Toggle between 120V or 240V based on user needs
- **Rubber Outlet Covers:** Help guard against moisture, dust, and debris
- **Heavy Duty Frame Construction:** Built tough with durable powdercoat finish
- **Portable Design:** Easy to transport with folding handle and wheels



# SUA5001

Multi-Features Panel with  
Outlet Covers



Heavy Duty  
Frame



Recoil Start 223cc  
Engine



4.0 Gal Tank Built-In Gauge  
13 Hour Runtime



Folding  
Handle



Brushed Alternator  
With AVR




7.0" Flat  
Free Wheel



# SUA5001

Engine  
Switch



Data  
Center





L14-30R  
30A, 120/240V



Low Oil  
Indicator





120V → 240V Voltage  
Selector Switch



# SUA5001

Model Number	SUA5001
Starting/Running Watts	5000/4250W
Certifications	EPA
AC Voltage	120/240V
Rated Speed/Frequency	3600rpm/60Hz
Total Harmonic Distortion (THD)	Standard
Grounding System	Neutral Floating
Noise Level (dB)	68
Engine Type	Single Cylinder 223cc - 4 Stroke OHV
Starting System	Recoil Start
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Fuel Type	Gasoline
Oil Type and Capacity	10W-30 - 550ml
Alternator Type	Brushed with AVR
Tank	4.0 Gal
Runtime @25% Load	13 Hour
Handle	Folding U Shape
Wheel	Flat Free 7.0"
AC Outlets	1x5-20R Duplex (20A, 120V) - 1xL5-30R (30A, 120V) - 1xL14-30R (30A, 120/240V)
Voltage Selector Switch	Yes
Data Center	Yes (Volts - Hz -Hour)
Accessories	Oil - Funnel - Tool Kit - Manual - Quick Start Guide
Warranty (Resedential)	2 year
Carton LxWxH	24.6x18.3x19.9 inch
Unit Weight	118.9 lbs
Shipping Weight	126.7 lbs
UPC	850016881137



[www.a-ipower.com](http://www.a-ipower.com)  
10887 Commerce Way, Unit A  
Fontana CA 92337- 8240

Phone: 855-888-3598  
Fax: 909-930-3719  
[support@a-ipower.com](mailto:support@a-ipower.com)  
Mon-Fri 8:00 AM to 4:30 PM PST

