



# SUA6000ED

Dual Fuel 6000 Watt Generator

- **Performance Series Engine:** 322cc Electric Start Engine with Cast Iron Sleeve & Low Oil Shutdown
- **High Output:** 6,000 Starting Watts / 5,500 Running Watts – Gasoline ; 5,500 Starting Watts / 5,000 Running Watts – LPG
- **Run Time:** 20 lbs LPG tank for extended run time of 17.5 hrs. at 25% load; 4 gallon fuel tank provides up to 12 hours of run time at 25% load
- **Electric Start:** Convenient push button electric start system for quick and easy use - battery included
- **Rubber Outlet Covers:** Help guard against moisture, dust and debris
- **Heavy Duty Frame Construction:** Built tough with durable powdercoat finish
- **Portable Design:** Easy to transport with folding handle and wheels
- **Digital Hour Meter:** For quick & easy real time running data



# SUA6000ED


Multi-Features Panel With  
Outlet Covers



Heavy Duty  
Frame



Fuel Valve



4.0 Gal Tank Built-In Gauge  
12 Hour Runtime

LARGE  
CAPACITY



LONG TIME



iPOWER

SUA6000ED  
SWITCH-ON-Demand TECHNOLOGY

6000 CLOUDING WATT  
5500 CLOUDING WATT

LPG Inlet




Folding  
Handle



8.0" Flat Free Wheel



Electric Start and  
Recoil Start, 322cc Engine




Gas ↔ LPG Selector Switch

Brushed Alternator  
With AVR





# SUA6000ED



Model Number	SUA6000ED
Starting/Running Watts	GAS: 6000 / 5500W LPG : 5500 / 5500W
Certifications	EPA - cETL
AC Voltage	120/240V
Rated Speed/Frequency	3600rpm/60Hz
Total Harmonic Distortion (THD)	Standard
Grounding System	Neutral Bonded to Frame
Noise Level (dB)	78
Engine Type	Single Cylinder 322cc - 4 Stroke OHV
Starting System	Recoil / Electric start
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Fuel Type	Gasoline & LPG
Oil Type and Capacity	10W-30-900ml
Alternator Type	Brushed with AVR
Tank	4.0 Gal
Runtime @25% Load	12.0 Hour (Gasoline) / 17.5 Hour (LPG)
Handle	Folding U Shape
Wheel	Flat Free 8.0"
AC Outlets	1x5-20R Duplex GFCI (20A, 120V) - 1xL14-30R (30A, 120/240V)
DC Outlets	1xAutomotive Style Outlet (8.3A, 12V)
Hour Meter	Yes
Included	Oil, DC charging cables, Tool Kit, LPG Regulator Hose, Owner's Manual, QSG, Battery
Warranty (Residential)	2 year
Carton LxWxH(in)	25.2 x 19.9 x 23.6 in
Unit Weight	156 lbs
Shipping Weight	166 lbs
UPC	851217006909

# SUA6000ED



[www.a-ipower.com](http://www.a-ipower.com)  
10887 Commerce Way, Unit A  
Fontana CA 92337- 8240

Phone: 855-888-3598  
Fax: 909-930-3719  
[support@a-ipower.com](mailto:support@a-ipower.com)  
Mon-Fri 8:00 AM to 4:30 PM PST

